



PO Box 1646
Castle Rock, Colorado 80104
(Ph) 720-733-0184 · (Fax) 720-733-2433
info@donatedeggs.com
www.donatedeggs.com

OOCYTE PERSONAL HISTORY FORM

Date of Application: August 16, 2012 Date of Birth: 08/31/1983 Age: 28 Donor #: 0359 (Agency Use Only)

How did you hear of An Eggceptional Match? (If website, pls. specify): Friend

The type of donation I am interested in is (Check all that apply): () Open () Anonymous (☒) No Preference

(Incomplete applications will not be accepted)

To become an egg donor, we need to learn some information about your personal and medical history. Your responses to these questions will help us to make sure that your health and medical history are compatible with the donation process and that it will not involve any increased risks for you. This effort will also help us to match you to an appropriate recipient.

Please provide complete and accurate information to these questions. If you do not know the answer, ask a parent or family member. Any information you provide during the donation process, will remain completely confidential. Some of the information from this questionnaire will be given to the recipient(s) as noted but all identifying information is removed.

A “yes” response will not necessarily eliminate you as a potential donor. Most people will have at least one of these conditions in themselves or a family member. The accuracy of the information you will be giving will provide information to potential families you may help to create.

Instructions:

1. **Please fill in all blanks completely.** Please complete all questions and write “N/A” if not applicable.
2. Please be specific. Avoid expressions such as “natural” or “old age” (for causes of death). List any health problems as specifically as possible. If you do not know the age, put the approximate age or ask a relative to help you. List exact relationships such as “first cousin through my mother’s sister”.
3. Please provide information on all the relatives requested. Do not write their names.
4. If you have any questions, please call your donor coordinator.

***Once you are chosen as an egg donor, first morning appointments are mandatory. You are not able to choose the dates of your appointments, as they will coincide with the clinic’s requirements and timing of your cycle. You will be required to attend 7-10 monitoring appointments prior to the actual egg retrieval. Most clinics are open between 7:00-8:00 a.m. If your schedule cannot accommodate this criterion, you will not qualify for the egg donation process.**

DEMOGRAPHICS

Full Legal Name and any aliases: _____

Social Security #: _____ Insurance Co: _____

Address: _____ City: Sheridan State: WY Zip: _____

Home Phone: _____ Work Phone: _____

Cell Phone: _____ May we leave a voicemail message at: (Pls. Circle): Home Work Cell

Are email communications permissible? If so, what is your E-mail Address:

I check my email: all day once a day several times a week rarely (alternate E-mail)

Are text messages permissible and if so at what telephone numbers? Yes No

Are you currently listed with any other clinics or agencies? No If yes, whom? _____ Have you signed a contract with any other clinic or agency? _____ If so, please provide a complete copy to me.

Have you ever been denied entry into another egg donor program? No If yes, please explain in detail:

How soon are you able to begin your donation? May 1, 2012

Who may we contact in case of an emergency?

Relationship Mother Ph: _____

Who may we contact in case your demographics change?

Marital Status: ____single __x__married ____divorced ____widowed ____engaged ____partnered

Length of Current Relationship: ____10__ Months/ Years Are you a U.S. Citizen? Yes No

Do you have medical insurance? Yes No

If so, provide name of your health plan and identification number: _____

Are you willing to travel for an egg donation? Yes No Possibly if: _____

Do you have any lawsuits or other legal claims pending against you? Yes No

Have you ever filed bankruptcy? Yes No If so, when? _____

Driver's License #: _____ State of Issue: WY

PHYSICAL CHARACTERISTICS

Height: 5'6" Weight: 132 **Measurements:** Bust 34 Hips 34 Waist 26

Recent weight loss/gain? No If Yes: lbs _____ loss/gain

Race: Caucasian (Caucasian, African American, Asian, Hispanic, etc...)

Ethnicity: (Pls. Be specific, ie...German, French, Irish, etc...) German, Swedish and Scottish

Mother's Side: German, Scottish

Father's Side: German, Swedish

Blood Type: O (+ or -) - Place of Birth: Worland, Wyoming

What celebrity do people most commonly say you look like? Meg Ryan and Kim Basinger

PLEASE CIRCLE (OR HIGHLIGHT) APPROPRIATE RESPONSE

Body Type/Bone Structure:		small	medium	large	very large
Hands:		right-handed	left-handed	ambidextrous	
Eyes:	*Color	brown	hazel	green	blue gray
	*Set	narrow	average wide		
	*Size	small	average large		
	*Shape	round	oval	almond	
	*Shade	light	medium	dark	
Hair:	*Natural Color	blond	brown	black	red other _____
	*Color as child	blond	brown	black	red
	*Shade	light	medium	dark	
	*Type	straight	wavy	curly	
	*Fullness	thin	medium	thick	
	*Texture	fine	medium	course	
Nose:	*Size	small	medium	large	
	*Width	narrow	average wide		
	*length	short	average wide		
	*Nostril Flare	small	average wide		
Cheekbones:	*Set	low	average high		
	*Prominence	slight	medium	strong	
Mouth:	*Size	small	average large		
	*Lips	thin	average full		

Chin:	*Shape	square	oval	round			
	*Prominence	slight	average strong				
	*Cleft	none	slight	medium			

Skin:	*Tone	light	med-light	medium	med-dark	dark	olive
	*Tan Ability	none	slight	medium	easy		
	*Condition	normal	dry	oily	medium	combination	
	*Acne	none	slight	medium	severe	at what age:	Teen

Other Facial Features:	*Moles	none	one	several	numerous	
	*Freckles	none	several	moderate	numerous	
	*Dimples	none	slight	medium	deep	

Eyesight:	*Vision	normal	far-sighted	near-sighted	
	*Glasses	none	single	bifocal	
	*Astigmatism	yes	no	age diagnosed	_____

Hearing: (Without corrective aids):	Poor	Fair	Good	Excellent
--	------	------	------	-----------

Dental:	*Device	none	braces	retainer other	_____
	*Reason	cosmetic	accident	disease	other _____
	*Age during use	___11___ to ___13___ years of age			

REPRODUCTIVE/CONTRACEPTIVE HISTORY

Age at onset of menses? 13 Are your cycle's regular? Yes Date of Last Menstrual Period: _____

Are your periods regular when you are not on any type of hormonal birth control such as the pill, etc.? Yes

If no: How many times per year do you menstruate? _____

Have you ever had any medical treatment for menstrual problems? No

How long are your cycles from day one to the next day one? 28 How many days do they last? 4-5

Do you spot or bleed between periods? No

Do you experience cramps? None **Mild** Average Severe

Have you been sexually active in the past 6 months? Yes

Are you currently sexually active? No If yes, is it a monogamous relationship? _____ If yes, for how long? _____

If no, will your partner consent to standard blood testing? _____

Have you or your partner ever had a sexually transmitted disease (trichomonias, chlamydia, syphilis, condyloma, gonorrhea, herpes)? Yes **No** If yes, when and what was your treatment regimen? _____

Date of last Pap Smear: April/May 2012

Have you ever been diagnosed with any gynecological problems such as endometriosis, ovarian cysts, abnormal Pap smears, fibroids, polyps? **Yes** No If yes, please explain treatment: Abnormal Pap smear 8 or 9 years ago before children. Had cryosurgery and no reoccurrence since.

Currently use: IUD Type _____ Diaphragm _____ Condom x Birth Control Pills _____ Rhythm _____
Spermicide _____ Nuva Ring _____ Tubal Ligation _____ Vasectomy _____ None _____

If Birth Control Pills: _____ (name) How long on Birth Control Pills? _____

Why did you start taking Birth Control Pills? _____

If Depo-Provera, when was your last injection? _____

Have you ever been pregnant? Yes If yes, did you have trouble conceiving? No

Do you want (more) children in the future? No

Have you ever been treated for infertility? No

Did your mother take DES while she was pregnant with you? No

Diethylstilbestrol (DES, former BAN stilboestrol) is a synthetic nonsteroidal estrogen that was first synthesized in 1938. It is also classified as an endocrine disruptor. Human exposure to DES occurred through diverse sources, such as dietary ingestion from supplemented cattle feed and medical treatment for certain conditions, including breast and prostate cancers. From about 1940 to 1970, DES was given to pregnant women in the mistaken belief it would reduce the risk of pregnancy complications and losses. In 1971, DES was shown to cause a rare vaginal tumor in girls and women who had been exposed to this drug in utero. The United States Food and Drug Administration subsequently withdrew DES from use in pregnant women. Follow-up studies have indicated DES also has the potential to cause a variety of significant adverse medical complications during the lifetimes of those exposed.^[1] The United States National Cancer Institute recommends^[2] women born to mothers who took DES undergo special medical exams on a regular basis to screen for complications as a result of the drug. Individuals who were exposed to DES during their mothers' pregnancies are commonly referred to as "DES daughters" and "DES sons". Wikipedia

LIST OF PREGNANCIES AND OUTCOMES

Year	Delivery ♀ or ♂ Section/Vag	Miscarriage	Ectopic	Blighted Ovum	Termination
1. 2006	Delivery- Girl/ Vag				
2. 2009	Delivery- Boy/ Vag				
3.					
4.					
5.					
6.					

Any complications? None

DONATION HISTORY

Have you applied or been screened to be an egg donor before? ____Yes ☒No If yes, list name and location of donor program (s):

Have you ever donated your eggs before? No If yes, Please list dates and outcomes:

Mo/Year	# Eggs Retrieved	# Eggs Fertilized	Did a pregnancy occur?	Did a live birth occur?

Were their embryos left to cryopreserve (freeze)? _____ If yes, approximately how many per cycle? _____

What is the compensation you are asking for your donation? \$5,000 (1st time donors \$5,000)

What is the least amount you would consider? \$5,000

Currently I have a career in: Business, Interior Design, Real Estate and collector car research and sales

I have been in this profession for 8 days/mos/years

Will you require missed wages from work? Yes

If yes, what is your hourly wage? \$26.75 How many hours per week do you work? 40+

Are you eligible to work in the United States? Yes Is your work schedule flexible? Yes

Will you require childcare reimbursement? Yes If yes, what is the hourly rate? \$3.00 X 2 kids

During travel assignments, will you: () Drive yourself to the airport and require parking reimbursement
() Take a taxi or shuttle and require reimbursement
(x) Have someone drop you off and require NO reimbursement

Will you require high speed internet access in your hotel to keep up with work or school? X Yes ____No

MEDICAL/SOCIAL HISTORY

Are you currently under a physicians care for any reason? No

If yes, please explain: _____

Have you ever had any surgeries? If so please list type and date:

1. Breast Augmentation 07/2008

Have you had any serious illness in the past? No

If yes, please describe: _____

Have you had a blood transfusion in the last 12 months? No

If yes, please list date and reason: _____

Have you ever taken anti-malarial drugs or had malaria? No

Any hospitalizations not mentioned above? No If yes, please explain: _____

How many days in the preceding 12 months did you miss work because of illness (colds, flu, accidents, surgery, etc.)?
Please explain: 0 days

Have you been exposed to excess radiation or toxic chemicals in your work or personal life? No

Have you ever had a reaction to anesthesia? No If yes, please explain reaction in detail: _____

What is your caffeine usage? Number cups of coffee/day: 0 Soda 0 Tea 0 Energy Drinks 0

*Do you smoke cigarettes? No Packs per day? _____ # of years _____ # of years quit _____

Do you now or have you ever taken recreational drugs? No If so, What? _____

Do you drink alcohol? Yes If yes, how many drinks per: day? _____ week? 1-2 month? _____

Do you have any allergies to drugs or environmental exposures? No Pls. explain: _____

Describe any childhood allergies that you have outgrown: None

For each medication allergy, describe specific substance and reaction(s) and age first noticed:

Substance: _____ Reaction(s): _____ Age: _____

Substance: _____ Reaction(s): _____ Age: _____

***To become an egg donor, you must be completely drug free. You must also be nicotine free for at least 6 mos. You may be tested for this substance at any time.**

Do you have any medical illnesses (diabetes, asthma, etc...)? No If yes, pls. explain: _____

Do you have frequent nose bleeds, bleeding gums while brushing your teeth and or clots with menstrual periods?

No

Have you had acupuncture, ear and/or body piercing or tattooing in which sterile procedures may not have been used?

____ Yes ____x____ No

Please list and describe all of your tattoos and body piercings:

Date Received:	Description:	Location on Body:	Sterile Needles Used?
07/1999	Star/Cross tattoo	Lower back	Yes
08/2007	Daughters name, birthdate and footprint	Left rib cage	Yes

List all prescription medications that you have taken in the preceding 12 months:

Medication	How Often	Reason
_____	_____	_____
_____	_____	_____

List all current over-the-counter medications (include hormones, vitamins, aspirin, antacids, laxatives, herbal & sports supplements, performance-enhancing supplements including steroids, etc.)

Medication	How Often	Reason
None _____	_____	_____
_____	_____	_____

Religion Born Into: LDS

Religion Practiced: None

EDUCATION

H.S. Grade Point Average (GPA): 3.801 SAT Scores: Verbal _____ Math _____ Not taken ACT Score: _____

Education: _____ Did not Complete High School
_____ Received GED
x Completed high school
_____ Completed/enrolled in Vocational Schooling _____
_____ Currently in college, pursuing degree in _____
_____ Completed college, degree in _____ GPA:3.5
_____ Currently pursuing an advanced degree in _____
_____ Completed advanced degree in _____

Please list names and year of all colleges attended: College Year

1. Sheridan Community College 2002

2. Carroll College 2003/2004 - I finished my second year

there and when I was home after my sophomore year I took over the family flooring and design business and have run it since with a few other small businesses,

What was your favorite subject in school? Math You're least favorite? English

Dean's List or Honor Roll? Honor Roll and National Honor Society. I was 1 of 2 students out of 126 in my junior high that received the A+ award, meaning I had no B's in junior high. I also received a state academic/athletic award and had many offers at least 15 ivy league schools to do track and field.

Did you have any learning disabilities or weaknesses in school? If yes, describe: NO

Academic Strengths (i.e. math, reading): Photogenic memory, school came easy to me, loved new challenges

Other skills or talents? Very athletic, played varsity basketball and track since freshman year of H.S., varsity golf, went on to play college basketball, 5th at National Junior Olympics for pole vault as a Freshman, scholarship opportunities to several ivy league schools

Do you show artistic or musical ability? No If yes please explain: _____

Languages: Speak: English

Read: English

Write: English

HEALTH HABITS

Exercise Habits: _____ None _____ Occasional x Regular

Physical activities include: Workout at least 5 times per week

Have you excelled in any physical activities? ☒ Yes ☐ No

If Yes, What: Very athletic, played varsity basketball and track since freshman year of H.S., varsity golf, went on to play college basketball, 5th at National Junior Olympics for pole vault as a Freshman, scholarship opportunities to several ivy league schools

Manual Dexterity: **Dexterous** Average Clumsy

Your diet is: ☐ Vegetarian ☒ Non-vegetarian ☐ Vegan Your diet is: poor **average** excellent

Do you have any dietary restrictions? I stay away from food in high saturated fat and carbs.

FAMILY HEALTH HISTORY

	Natural Hair Color	Eye Color	Height Weight	Skin Tone	Age If Living	Age at Death	Cause of Death
Mother	Brown	Brown	5'4/120	Med	55		
Father	Blonde	Blue	6'4/220	Light	55		
Brother: 1.	Blonde	Blue	6'0/185	Light	32		
2.	Brown	Brown	6'1/185	Olive	31		
3.	Blonde	Blue/Green	6'2/175	Med	30		
Maternal Grandmother	Brown	Brown	5'5"/150	Olive		76	Parkinsons Disease/Broken Heart
Maternal Grandfather	Blonde	Blue	5'10"/185	Med		75	Lung Cancer
Paternal Grandmother	Blonde	Blue	5'5"/155	Med	74		
Paternal Grandfather	Blonde	Blue	6'2"/190	Med	76		
Children: (If Any) 1.	Girl Blonde	Blue		Light/Med			

Are you adopted? No If yes, do you have access to your biological health history? _____

Twins or multiple births in the family? No If yes, how many sets? _____

GENETIC HISTORY

Are there any known genetic diseases that run in your family? No If yes, please identify all such diseases and explain in as much detail as possible:

Has anyone in your family been born with a birth defect? No If yes, please explain in detail:

Have you had a brother or sister die in infancy or early childhood? No If yes, please explain the cause of death:

Are there any members of your family with a history of learning disabilities or autism? No

If yes, please explain _____

(**MGM**=Maternal Grandmother, **MGF**=Maternal Grandfather; **PGM**=Paternal Grandmother, **PGF**=Paternal Grandfather)

Have you or anyone in your family ever been tested positive as a carrier or had any of any of the following diseases?

Blooms Syndrome	No	If yes:	_____ disease _____	carrier _____	negative _____	unknown _____
Canavan	No	If yes:	_____ disease _____	carrier _____	negative _____	unknown _____
Cystic Fibrosis (Caucasian)	No	If yes:	_____ disease _____	carrier _____	negative _____	unknown _____
Fabry Disease	No	If yes:	_____ disease _____	carrier _____	negative _____	unknown _____
Familial Dysautonomia	No	If yes:	_____ disease _____	carrier _____	negative _____	unknown _____
Familial Mediterranean Fever	No	If yes:	_____ disease _____	carrier _____	negative _____	unknown _____
Fanconi Anemia Grp. C:	No	If yes:	_____ disease _____	carrier _____	negative _____	unknown _____
Fragile X	No	If yes:	_____ disease _____	carrier _____	negative _____	unknown _____
Gaucher	No	If yes:	_____ disease _____	carrier _____	negative _____	unknown _____
Niemann-Pick type A	No	If yes:	_____ disease _____	carrier _____	negative _____	unknown _____
Mucopolidosis type IV	No	If yes:	_____ disease _____	carrier _____	negative _____	unknown _____
Sickle Cell (African American)	No	If yes:	_____ disease _____	carrier _____	negative _____	unknown _____
Spinal Muscular Atrophy	No	If yes:	_____ disease _____	carrier _____	negative _____	unknown _____
Tay-Sachs (Jewish)	No	If yes:	_____ disease _____	carrier _____	negative _____	unknown _____
Thalassemia (Greek/Italian)	No	If yes:	_____ disease _____	carrier _____	negative _____	unknown _____

Have you had a chromosomal analysis performed? NO If so, were your results of normal XX karyotype? _____

Is there anything else we should know about your family?

NO

PERSONAL AND MOTIVATIONAL

In your own words, describe your personality, temperament, and character: I am a fun, loving person, easy to get along with, I have been told I have a great sense of humor, I am smart, athletic, energetic and have great common sense. I appreciate my family and friends and am motivated to help people in need. I have a huge heart, I love giving back and hope someday I can make a difference in someone's life.

What is your philosophy of life? Treat people and animals as you would like to be treated

What qualities and characteristics would you hope the recipient parents possess? Patience, sincerity, kindness and appreciation. I would hope the recipient would provide a loving, caring, responsible and stable atmosphere for their child to come.

How does it make you feel at the possibility of their offspring knowing about the donation? That would be completely up to the parents. If they feel to tell their child then I support that decision, but if they do not want their child knowing of the donation I accept that too.

How would you describe your childhood? I had an amazing childhood. I was the youngest of 3 older brothers and 12 boy cousins. I learned how to take care of myself and keep up with the boys. I was raised in the country and it was abnormal for us to walk 5 miles to town to see mom at work. We caught lizards and crawdads for entertainment and enjoyed family time all of the time.

What is the earliest memory you hold as a child? Probably catching lizards and riding 4 wheelers to slick creek where we spent most of our time as kids.

What was it like growing up in your family? I had a very loving family. My mom was an amazingly caring mother, hard worker and just a great all around person to be around. My dad was very involved in rodeo and traveled for his job so he didn't get to spend as much time at home as we liked, but when he was home it was great. He always pushed me in sports, they never pushed me as much in academic but I think that was because I always did well on my own. And my brothers taught me just about everything I know about sports. I couldn't have picked a better family.

If you could change one thing about yourself, what would it be and why? I don't really think I would change anything.

Is there a person alive or dead whom you admire and why?

I probably admire my mom the most because of the patience and love she gave us as kids and still gives us. She is a reminder to me when I get upset with my kiddos or lose my cool, how she was with us. I also admire my Grandpa that passed away in 1995. He was the kindest, most loving and hard working man ever. You don't see that combination very often any more.

What would you do on a “perfect” day if you could do anything you wanted?

Take my kids to the lake with perfect "glass like" water.

Describe your personality and temperament as a child:

Carefree. It wasn't a concern to leave home at 8 a.m. on my bike and not come home until dinner. I rode my bike or rollerbladed everywhere I went when I was younger. I enjoyed meeting new people. I used to volunteer at the Nursing home just to hear all of their stories. That was my peaceful hangout when I was younger. I didn't and still don't get very upset about things. My mom always taught me how to problem solve so I try that first. I always wanted to go and never wanted to be left behind. I think that is what has made me be a go getter and a successful person today.

When I Was A Child:

My favorite thing to do was: Rollerblade, ride my bike and be with the family

At home I was expected to: Do whatever I was asked to do

My parents were strict about: No Cussing

My parents taught me to value: Family, school and sports

What I loved most about my father was: sitting on the floor and playing catch

What I loved most about my mother was: Tucking me into bed and reading us stories.

My favorite relatives were: My uncles and cousins

I loved to visit: My Grandpa Roy and still do.

In comparison to others I was: Tough and athletic

Please provide the following information about your family:

	Intellectual/Academic Achievements	Artistic Achievements
Mother	H.S. Diploma/Some College	Owned a screen printing/embroidery shop, framing awards. Very artistic woman
Father	H.S. Diploma	Very artistic with woodworking
Sisters		
Brothers	H.S. Diploma (all of them)	2 brothers are very artistic painters and the other one doesn't show much interest.
	1 has college degree	

Describe your personality and temperament as a teenager:

Easy to get along with, intense when it came to game time. I always wanted to be first in everything. Even in the lunch line when I was a kid. I even enjoyed sitting in the front of the classroom. I had and still have a good deal of confidence but was always respectful of teachers, coaches and my peers.

Did you have any problems as a child and/ or as a teenager? Explain:

None at all

Who was the most important influence on you and why?

Probably my dad because he was so persistent and pushed me so hard in sports.

What were your ambitions/ goals as a teenager?

To get good grades and do well in sports which I did well at both

What were your best and worst subjects in school?

I was very good in math, English was boring to me and science was interesting but not my strongest subject. I obviously loved P.E. and woodworking.

What do you hope to achieve by volunteering in an egg donor program?

I hope to give a family the opportunity to have a beautiful child that has all of the wonderful characteristics I possess. I know what a blessing it has been for me to have children and I would to help a family experience the wonderfulness of having children of their own.

What helped you decide to become an egg donor? I had a friend tell me about it and how she had done it and felt so great about it. I researched it a little and decided it would be a great thing to do for a family.

If you could pass on a message to the recipient(s) of your eggs, what would that message be?

Children are a truly a gift of God and I would be delighted to share a part of me, to you, so you too can experience the amazing ADVENTURE that children bring to your world.

Would you be willing to meet a child conceived as the result of your donation? __YES__ Please elaborate: If the parents would like me to meet the child I would be thrilled.

Would you be interested in possibly meeting the prospective parents or are you OK with them knowing your first name? Absolutely

Would you be willing to donate to gay or single prospective parents? Yes Please specify: Yes, I would donate to anyone who can support and love a child the way they need to be.

Do you consider yourself a reliable person? Yes

Do you consider yourself a punctual person? Yes

Would you describe yourself as a religious or spiritual person? Yes, very spiritual

Do you have any ethical, moral or religious reservations about being an egg donor? No

What are your personal goals? Have you achieved any of these goals? I have lots of goals. My biggest goal is to raise my two children to be great people. I am achieving this goal daily. Although my children are still pretty little, they are wonderful little people.

What do you see yourself doing in the next 5-10 years? Starting a retreat on our ranch in Wyoming.

What would you like your recipient couple to know about you that has not already been asked? I am naturally a very well built lady. I have great natural muscle tone. I am not bulky by any means but muscular. I got it from my mother and even see it in my children.

What are your beliefs concerning selective reduction or aborting a fetus due to an anomaly(s) (birth defect)?

I believe it is a personal decision and should only be made by the mother and father.

How do you feel about the possibility of any remaining embryos being donated to another infertile couple that cannot afford the cost of infertility treatment? Will you sign a consent permitting such donation?

Yes

How do you feel about any remaining embryos being discarded or donated to scientific research? Will you sign a consent permitting such medical or scientific research or destruction of such remaining embryos?

Yes

Some clinics have their Prospective Parents sign away rights to any leftover embryos to be used at the clinic's discretion, how do you feel about not knowing the outcome of their decision?

That is fine.

What are your thoughts on the possibility of this couple using a gestational carrier (surrogate) or a qualified sperm donor?

That would be okay with me.

What is your favorite color? Red

Favorite type of food? Sushi or Pizza

Favorite movie? Departed and Ice Age movies

Favorite type of music? Country and some light rock

Favorite Book? Dr. Seuss books

If you could write a message to the child born through your participation as an egg donor for when he/she turns 18 years old, what would you tell him/her?

I was the egg donor for your parents when they decided to conceive and have a baby. I know as a parent how rewarding it is to have children and how hard it must be for women who are unable to provide an egg. So I donated so you could be born. I hope your childhood has been amazing and family has formed you into being a great person. If you would want to contact me I would be more than excited. Once again I hope all is well and wish you a bright and healthy future.

Your Donor

Carefully review the following list of medical problems and identify which ones you or one of your genetic relatives have or had. Please consider each condition carefully for each family member. Explain any conditions you check below, indicating which side of the family (maternal or paternal), the age at the time of onset, and any other pertinent information. If you and none of your indicated family members have a history of the specific medical condition, please indicate none.

***PLEASE REFER TO THE GLOSSARY ON THE LAST PAGES OF THIS FORM FOR DEFINITIONS**

HEART	You	Mother	Father	Siblings	Grandparents	Other Family	Explanation (which side of family, age of onset, etc.)
A. Stroke							
B. heart attack							
C. heart disease							
1. from birth							
2. lifestyle							
D. hardening of the arteries							
E. high blood pressure							
BLOOD							
A. anemia							
B. sickle-cell anemia							
C. hemophilia or other bleeding problem							
D. leukemia							
E. Immune Deficiency							
F. Factor V Leiden thrombophilia (Blood clots or strokes)							
G. other blood disorder							
RESPIRATORY (LUNGS)							
A. hay fever							
B. asthma							
C. emphysema							
D. tuberculosis							
E. lung cancer					Grandfather		Lung cancer-Mom's side 68-Smoker
F. pneumonia							
G. Alpha-1 antitrypsin Disorder							
H. other lung disease							
GASTRO-INTESTINAL							
A. ulcer of stomach or duodenum							
B. gall stones							
C. hepatitis A,B or C							
D. appendicitis							
E. cirrhosis							
F. colon cancer							
G. ulcerative colitis							
H. Crohn's disease							
I. cystic fibrosis							
K. pyloric Stenosis							
L. multiple Polyps of the Colon							
m. rectal Disorder							
n. inflammatory Bowel Disease							
o. any other problem of the digestive system							
METABOLIC/ENDOCRINE							
A. diabetes mellitus							
B. hypoglycemia							
C. thyroid cancer							
D. thyroid disease							
E. goiter							
F. adrenal dysfunction or disorder							
G. hyperactivity							
H. lumps or cysts in breast							
I. polycystic ovarian syndrome							
J. pelvic inflammatory disease (PID)							
K. endometriosis							
URINARY							
A. kidney disease							

B. other disease of urinary tract (urethra, bladder, ureter)							
	You	Mother	Father	Siblings	Grandparents	Other Family	Explanation (which side of family, age of onset, etc.)
GENITAL/REPRODUCTIVE							
A. undescended testicle							
B. hypospadias							
C. prostate cancer					Grandfather		Dad's side-65
D. uterine fibroids							
E. ovarian cysts							
F. cancer of the cervix, ovaries or uterus							
NEUROLOGICAL							
A. migraines							
B. mental retardation							
C. senility before age 50							
D. Multiple Sclerosis							
E. Cerebral Palsy							
F. Neurofibromatosis							
G. ADHD							
H. Autism/Asperger's							
I. Tuberous sclerosis							
J. Parkinson's disease					Grandmother		Mom's side-60-suspected diagnosis
K. Scoliosis							
L. Myasthenia Gravis							
M. Tourette's Syndrome							
N. epilepsy/seizures							
O. hydrocephalus							
P. disorder of the spinal cord							
Q. Huntington's chorea							
U. Gaucher's disease							
R. Wilson's disease							
S. Creutzfeldt-Jacob disease							
T. Alzheimer's disease							
U. other diseases of the nervous system							
MENTAL HEALTH							
A. schizophrenia							
B. bipolar or manic depressive							
C. depression							
D. anxiety/panic attacks							
E. anorexia/bulimia/other eating disorder							
F. suicide attempts							
G. other mental health disorder requiring hospitalization							
MUSCLE/BONE/JOINTS							
A. muscular dystrophy							
B. other chronic muscle disease							
C. lupus							
D. deformity of the spine							
E. osteoporosis							
F. dwarfism							
G. heredity low back disease							
H. arthritis							
I. gout							
J. Osteogenesis imperfecta (brittle bone disease)							
K. loss of muscle coordination							

L. Marfan syndrome							
M. spinal muscular atrophy							
N. Reiter's disease							
Cont.	You	Mother	Father	Siblings	Grandparents	Other Family	Explanation (which side of family, age of onset, etc.)
O. myasthenia gravis							
P. metabolic bone disease (be more specific)							
SIGHT/SOUND/SMELL							
A. deafness before age 60							
B. deformity of the ear							
C. cataracts before age 50							
D. blindness							
E. color blindness							
F. glaucoma							
G. deviated septum							
H. retinoblastoma							
I. retinitis Pigmentosa							
J. any other sight/sound/smell disorders							
SKIN							
A. acne							
B. eczema							
C. skin cancer							
D. pigmentation disorders							
E. excessive facial hair							
F. psoriasis							
G. neurofibromatosis							
H. infectious skin disease							
I. other disorders of the skin							
CONGENITAL ABNORMALITIES/BIRTH DEFECTS							
A. cleft lip or palate							
B. congenital hip problems							
C. club feet							
D. heart defect							
E. hearing problems							
F. Spina bifida-neural tube (open spine)							
G. Microcephaly							
H. holoprosencephaly-a single-lobed brain structure and severe skull and facial defects							
I. other							
CHROMOSOMAL ABNORMALITIES							
A. down syndrome B. other (i.e. Turner, Fragile X, Klinefelter's etc..)							
OTHER							
A. alcoholism							
B. drug abuse, misuse or addiction							
C. breast cancer						Aunt-Moms side	45-in remission for over 8 years now.
D. any other cancer not mentioned above							
E. any other condition not mentioned							

RISK FACTORS**Yes****No****Comment**

Have you ever been sexually active with a male who was gay or bisexual?

Yes**No**

Have you ever injected drugs or had a sexual partner who did so?

Yes**No**

Have you ever had hemophilia or received any human derived clotting factor concentrates, including factor VIII or factor IX concentrate?

Yes**No**

Have you ever had a sexual partner with hemophilia or who received any human derived clotting factor concentrates?

Yes**No**

Have you ever had sex in exchange for money or drugs?

Yes**No**

Have you ever been sexually active with a person who has had sex in exchange for money or drugs?

Yes**No**

Have you ever been sexually active with a person who was known or suspected to have HIV, hepatitis B or hepatitis C?

Yes**No**

Have you been exposed to body fluids, open wounds, non-intact skin or mucus membranes of any person known or suspected to have HIV, hepatitis B and/or C?

Yes**No**

Have you had an accidental needle stick within the past 12 months?

Yes**No**

Have you ever been or have you had a sexual partner who was incarcerated for 72 consecutive hours or longer?

Yes**No**

In the past 12 months, have you lived with or had

Yes**No**

contact with anyone known or suspected to have hepatitis?

Have you acquired a tattoo or other skin piercing procedure within the preceding 12 months?	Yes	No
---	------------	-----------

Have you ever been diagnosed with hepatitis?	Yes	No
--	------------	-----------

Have you been vaccinated or had contact with anyone vaccinated for smallpox within the past 2 months?	Yes	No
---	------------	-----------

Have you ever been diagnosed with or suspected to have West Nile Virus?	Yes	No	if so, when?
---	------------	-----------	--------------

Have you ever been treated for or diagnosed with chlamydia, gonorrhea, herpes or syphilis?	Yes	No	if so, when?
--	------------	-----------	--------------

Have you or any of your blood relatives been diagnosed and/or have a history of transmissible spongiform encephalopathy such as Creutzfeldt-Jakob disease or variant Creutzfeldt-Jakob disease?	Yes	No	if so, who?
---	------------	-----------	-------------

Have you ever received a non-synthetic dura mater transplant or a pituitary-derived growth hormone?	Yes	No
---	------------	-----------

Do you have a history of changes in cognition, speech or gait?	Yes	No
--	------------	-----------

Have you ever received a blood transfusion?	Yes	No	if so, where?
---	------------	-----------	---------------

Have you visited or lived in the United Kingdom for three months or more between 1980-1996 including England, Scotland, Wales, Ireland, Isle of Man, Channel Islands, Gibraltar or Falkland Islands?	Yes	No
--	------------	-----------

Were you a member of the US military, civilian military, employee or a dependent of a member of the military stationed in Belgium, the Netherlands, Germany, Spain, Portugal, Turkey, Italy or Greece between 1980-1996?	Yes	No
--	------------	-----------

(Cont'd)

From 1980 to present, have you spent time that adds up to 5 years or more in Europe?	Yes	No	if so, where?
--	-----	----	---------------

Were you born in or have you lived in any of the following Countries since 1977; Cameroon, Central Africa Republic, Chad, Congo, Equatorial, Guinea, Gabon, Niger or Nigeria?	Yes	No	If so, when?
---	-----	----	--------------

If yes, were you given a blood transfusion or any medical treatment with a product made from blood while you were there?	Yes	No
--	-----	----

Have you ever had sexual contact with anyone who was born or lived in Cameroon, Central Africa Republic, Chad, Congo, Equatorial, Guinea, Gabon, Niger or Nigeria since 1977?	Yes	No
---	-----	----

Have you or someone you know been diagnosed, treated or suspected of having sudden acute respiratory syndrome? (SARS)?	Yes	No	if so, when?
--	-----	----	--------------

Have you, your sexual partner, and/or anyone you live with ever had a transplant or other medical procedure that involves being exposed to live cells, tissues or organs from an animal?	Yes	No	if so, who?
--	-----	----	-------------

Have you been exposed to blood, saliva or fluids from the person described in the proceeding question?	Yes	No
--	-----	----

Have you ever received a human organ, tissue transplant or human extract?	Yes	No
---	-----	----

Have you ever been excluded as a blood donor?	Yes	No	if so, why?
---	-----	----	-------------

Have you been diagnosed or suspected to have Chagas' disease?	Yes	No
---	-----	----

(Cont'd)

Have you been exposed to significant levels of radiation, toxic chemicals, or heavy metals (such as lead, mercury or gold) in your home or work environment?

Yes **No**

Have you received a bite from an animal suspected for rabies within the last six months?

Yes **No**

CONSENT

Under the penalty of perjury, I attest that all of the information I have provided in my donor application is true and complete to the best of my knowledge. I also have a good understanding of the commitment involved in the egg donation process.

Donor's Printed Name:

Donor's Signature:

Date: _____

I, _____ give An Eggceptional Match, LLC full authority to include my photographs on its web site, and to share my personal profile with prospective parents but without disclosing to them any of my identifying information. I hereby release An Eggceptional Match, LLC and Angela Bevill, and their agents, employees, successors and assigns, from any and all liability of any nature whatsoever as a result of such disclosures.

Donor's Signature:

Date: _____

Witness to Signatures above: _____

Date: _____

DEFINITIONS

Inherited – A disease or characteristic that is transmitted through genes from parents to offspring. Inheritance patterns include the following:

Autosomal Dominant – Disorders caused by one mutated copy of a gene. An affected person usually has one affected parent. Autosomal dominant disorders usually occur in every generation of an affected family. When a person carries an autosomal dominant gene mutation, each of his/her offspring has a 50% chance for inheriting the gene mutation.

Autosomal Recessive – Disorders caused by two mutated copies of a gene. An affected person usually has unaffected parents who each carry one copy of the mutated gene. Autosomal recessive disorders are not usually seen in every generation of a family. Carrier parents have a 25% chance for having an affected child.

X-linked dominant – Disorders caused by mutations in genes located on the X chromosome. Females are more frequently affected than males, and the chance to pass on an X-linked dominant disorder differs between men and women. Fathers cannot pass the X-linked traits or disorders to their sons. Females who have an X-linked dominant gene mutation have a 50% chance to have an affected child.

X-linked recessive – Disorders caused by mutations on genes on the X chromosomes. Males are more often affected than females, and the chance to pass on the disorder differs between men and women. Families with X-linked recessive disorders often have affected males, but rarely affected females, in each generation. Females who carry an X-linked recessive gene mutation have a 50% chance to pass it on to each of her children.

Multifactorial – Disorders caused by a combination of the effects of multiple genes or by interactions between genes and the environment.

Sources and additional information:

Talking Glossary of Genetic Terms <http://www.genome.gov/10002096>; <http://www.genome.gov/glossary.cfm#g>

Fact Sheets <http://www.genome.gov/10000202>

Cancer Dictionary <http://www.cancer.gov/dictionary/>

Genetics Home Reference National Library of Medicine <http://ghr.nlm.nih.gov/>

National Institutes of Health Genetic and Rare Diseases Information Center

<http://rarediseases.info.nih.gov/GARD/Default.aspx?PageID=4>

Gene Tests <http://www.genetests.org/>

Cancer

- **Hereditary Breast/Ovarian Cancer** – Mutations in *BRCA1* or *BRCA2* genes predispose to breast cancer and ovarian cancer as well as prostate cancer (*BRCA1*) and other cancers (*BRCA2*). Hereditary breast/ovarian cancer is inherited in families in an autosomal dominant pattern. Each child of an individual with a *BRCA1* or *BRCA2* cancer-predisposing mutation has a 50% chance of inheriting the mutation.
- **Hereditary colon cancer**
 - **Hereditary non-polyposis colorectal cancer** - Hereditary non-polyposis colon cancer (HNPCC) is caused by an autosomal dominant inherited gene mutation. HNPCC is characterized by an increased risk of colon cancer and other cancers (e.g., of the endometrium, ovary, stomach, small intestine, hepatobiliary tract, upper urinary tract, brain, skin). Each child of an individual with a HNPCC cancer-predisposing mutation has a 50% chance of inheriting the mutation.
 - **Heart**
- **Congenital heart disease** - Congenital heart disease is a common type of birth defect or malformation in one or more structures of the heart or blood vessels that occurs during pregnancy while the fetus is developing. The cause of congenital heart disease is not known in most affected people. There are some recognized factors that are associated with an increased risk for congenital heart disease including: 1) genetic or chromosomal abnormalities such as Down syndrome; 2) taking certain medications, alcohol or drug abuse during pregnancy; and 3) maternal viral infections such as German measles in the first trimester of pregnancy. The risk of having a child with congenital heart disease is higher if a parent or a sibling has a congenital heart defect.

Blood

- **Sickle cell anemia** - Sickle cell disease is a group of disorders that affects hemoglobin, the molecule in red blood cells that delivers oxygen to cells throughout the body. Individuals who have sickle cell disease have atypical hemoglobin molecules called hemoglobin S, which can distort red blood cells into a sickle, or crescent, shape. Signs and symptoms include a low number of red blood cells (anemia), repeated infections, and periodic episodes of pain. The severity of symptoms varies from person to person. Sickle cell anemia is inherited in an autosomal recessive manner. Each child of carrier parents has a 25% chance to be born with sickle cell anemia.
- **Factor V Leiden thrombophilia** - Factor V Leiden thrombophilia is an inherited disorder of blood clotting. Factor V Leiden is the name of a specific mutation that results in thrombophilia - the increased tendency to form abnormal blood clots in blood vessels. People who have the factor V Leiden mutation are at somewhat higher than average risk for a type of clot that forms in veins, such as the deep veins of the legs (deep venous thrombosis), or a clot that travels through the bloodstream and lodges in the lungs (pulmonary embolism). Factor V Leiden thrombophilia can be inherited in families in an autosomal dominant and autosomal recessive manner.
- **Hemophilia** - Hemophilia is a bleeding disorder that slows the blood clotting process. People who have hemophilia often experience prolonged bleeding or oozing following an injury, surgery, or having a tooth pulled. The major types of this condition are hemophilia A (also known as classic hemophilia) and hemophilia B (also known as Christmas disease). Hemophilia A and hemophilia B are inherited in an X-linked recessive manner. In X-linked recessive inheritance, a female with one altered copy of the gene in each cell is called a carrier. She can pass on the altered gene to her children, but usually does not experience signs and symptoms of the disorder.
- **Tay-Sachs** - Tay-Sachs disease is a rare inherited disorder that causes progressive destruction of nerve cells in central nervous system (the brain and spinal cord). Affected infants progressively lose motor skills such as turning over, sitting, and crawling. Children who have the severe infantile form of Tay-Sachs disease usually survive only into early childhood. Tay-Sachs disease is inherited in an autosomal recessive manner. Carrier parents have a 25% in each pregnancy to have an affected child.
- **Thalassemia** - Beta thalassemia is an inherited blood disorder that reduces the production of hemoglobin. Symptoms of beta thalassemia occur when not enough oxygen gets to various parts of the body due to low levels of hemoglobin and a shortage of red blood cells. Beta thalassemia is inherited in an autosomal recessive manner. Carrier parents have a 25% chance in each pregnancy to have an affected child.

Respiratory

- **Alpha-1 antitrypsin disorder** - Alpha-1 antitrypsin deficiency is an inherited condition that can cause lung disease in adults and liver disease in adults and children. This disorder is inherited in an autosomal co-dominant pattern. Co-dominance means that two different versions of the gene may be expressed, and both versions contribute to the genetic trait.

Gastrointestinal

- **Cystic Fibrosis** - Cystic fibrosis is an inherited disorder of the mucus glands that affects many body systems. The most common signs and symptoms of cystic fibrosis include progressive damage to the respiratory system and chronic digestive system problems. Cystic fibrosis is inherited in an autosomal recessive manner. Carrier parents have a 25% chance in each pregnancy for having an affected child.
- **Pyloric stenosis** - Pyloric stenosis (also called infantile pyloric stenosis or gastric outlet obstruction) is a condition that involves a narrowing of the pylorus, the lower part of the stomach through which food and other stomach contents pass to enter the small intestine. When an infant has pyloric stenosis, the muscles in the pylorus become enlarged to the point where food is prevented from emptying out of the stomach. Pyloric stenosis is known to run in families. When a parent has pyloric stenosis, then, their infant has an increased risk of developing the disorder.

Metabolic/Endocrine

- **Phenylketonuria** - Phenylketonuria (also known as PKU) is an inherited disorder that increases the levels of a substance called phenylalanine in the blood. Phenylalanine is a building block of proteins that is obtained through the diet. If PKU is not treated, phenylalanine can build up to harmful levels in the body, causing mental retardation and other serious health problems. PKU is inherited in an autosomal recessive manner. Carrier parents have a 25% chance with each pregnancy to have an affected child.
- **Dwarfism** – There are a number of different types of dwarfism and many are inherited in families. Examples of types of dwarfism include: achondroplasia, thanatophoric dysplasia, and Robinow syndrome.

Urinary

- **Polycystic kidney disease** - Polycystic kidney disease is a disorder that affects the kidneys and other organs. Cysts, develop in the kidneys, causing them to become enlarged and can lead to kidney failure. Cysts may also develop in other organs, particularly the liver. There are two major forms of polycystic kidney disease distinguished by the age of onset and their pattern of inheritance. The autosomal dominant form (sometimes called ADPKD) has signs and symptoms that typically begin in adulthood, although cysts in the kidney are often present from childhood. The autosomal recessive form of polycystic kidney disease (sometimes called ARPKD) is much rarer and is often lethal early in life.

Genital/Reproductive

- **Hypospadias** – Hypospadias is a birth defect of the urethra that happens in males. It involves an abnormally placed opening in the penis. Instead of opening at the tip of the penis, a hypospadiac urethra opens anywhere along the line running from the tip along the underside of the shaft to the where the penis and scrotum meet. In most males
- hypospadias is not inherited, nor is their family recurrence. In some cases, hypospadias happens as a result of a chromosomal abnormality called a pericentric inversion of chromosome number 16.

Reproductive Outcomes

- **2 or more miscarriages** – Miscarriage (also called spontaneous abortion) is the term used for a pregnancy that ends on it's own, within the first 20 weeks of gestation. The causes of miscarriages are varied, and most often the cause cannot be identified. During the first trimester, the most common cause of miscarriage is chromosomal abnormality - meaning that something is not correct with the baby's chromosomes. In some cases the chromosome abnormality in the developing fetus is the result of a parent carrying a balanced chromosomal arrangement called a translocation. This can lead to multiple miscarriages.

- **Birth defects** – A birth defect is a problem that happens while the baby is developing in the mother's body. Most birth defects happen during the first 3 months of pregnancy. A birth defect can affect almost any part of the body. Causes of birth defects include a family history of birth defects, maternal age, certain drugs taken during pregnancy, alcohol use and smoking during pregnancy.

Neurological

- **Mental Retardation** - Mental retardation is a term used to describe a person who has certain limitations in mental functioning and difficulties in communicating, taking care of him or herself, and social skills. These limitations will cause a child to learn and develop more slowly than a typical child. Causes of mental retardation include genetic conditions such as Down syndrome, problems during pregnancy, problems at birth and health problems such as malnutrition.
- **Cerebral palsy** - Cerebral palsy is the term for a group of disorders that involve the loss of movement or loss of other nerve function. Cerebral palsy is caused by injuries to the largest part of the brain (cerebrum) which happen as the baby grows in the womb or near the time of birth. There are multiple causes of cerebral palsy including birth defects that affect the brain, spinal cord, head, face, lungs or metabolism, and certain hereditary and genetic conditions.
- **Neurofibromatosis** – There are two types of neurofibromatosis. Neurofibromatosis type 1 is a disorder characterized by changes in skin coloring (pigmentation) and the growth of tumors along nerves in the skin, brain, and other parts of the body. The signs and symptoms of this condition vary widely among affected people. Neurofibromatosis type 1 is considered to have an autosomal dominant pattern of inheritance. Neurofibromatosis type 2 is a disorder characterized by the growth of noncancerous tumors in the nervous system. Neurofibromatosis type 2 is also considered to have an autosomal dominant pattern of inheritance. However, unlike most other autosomal dominant conditions, in which one altered copy of a gene in each cell is sufficient to cause the disorder, two copies of the NF2 gene must be altered to trigger tumor formation in neurofibromatosis type 2. A mutation in the second copy of the NF2 gene happens in other cells in the nervous system during a person's lifetime. Almost everyone who is born with one NF2 mutation acquires a second mutation in many cells and develops the tumors characteristic of neurofibromatosis type 2.
- **Autism/Aspergers** –
 - Autism and autism spectrum disorders are complex neurodevelopmental conditions. The genetics of autism are complex and it is thought that there are multiple genes involved.
 - Aspergers – Asperger syndrome is one of several autism spectrum disorders, with symptoms of difficulty in social interactions and restricted, stereotyped interests and activities. Children who have Aspergers syndrome do not usually have language or cognitive developmental delays. Genes are believed to play a role in Aspergers syndrome, and it seems to run in some families.
- **Hydrocephalus** – Hydrocephalus is a condition in which the primary characteristic is excessive accumulation of fluid in the brain. The excessive accumulation of fluid causes an abnormal widening of spaces in the brain called ventricles. This widening creates potentially harmful pressure on the tissues of the brain. The causes of hydrocephalus are still not well understood. Hydrocephalus may be caused by inherited genetic abnormalities (such as the genetic defect that causes aqueductal stenosis) or developmental disorders (such as those associated with neural tube defects including spina bifida and encephalocele). Other possible causes include complications of premature birth, and diseases such as tumors or hemorrhage which block the fluid.
- **Tuberous sclerosis** - Tuberous sclerosis is a genetic disorder characterized by the growth of numerous noncancerous tumors in many parts of the body. These tumors can occur in the skin, brain, kidneys, and other organs, in some cases leading to significant medical problems. Tuberous sclerosis is inherited in an autosomal dominant manner, which means one copy of the altered gene in each cell is sufficient to cause the disorder. In about one-third of families, an affected person inherits an altered gene from a parent who has the disorder. About two thirds of cases result from new gene mutations. These cases occur in people with no history of tuberous sclerosis in their family.
- **Creutzfeldt-Jakob Disease** – Creutzfeldt-Jakob disease is a prion disease. Prion diseases are group of progressive conditions that affect the nervous system. Prion diseases impair brain function, causing memory changes, personality changes, a decline in intellectual function, and problems with movement that worsen over time. The signs and symptoms of these conditions usually begin in adulthood, and these disorders lead to death within a few months to several years. Only a small percentage of prion disease cases run in families. Most cases occur in people without any known risk factors or gene mutations. Creutzfeldt-Jakob disease is acquired by eating beef products obtained from cattle that have prion disease.

- **Huntington Disease** - Huntington disease is a progressive brain disorder that causes uncontrolled movements, mental and emotional problems, and loss of thinking ability. Adult-onset Huntington disease, is the most common form of this disorder, with onset usually in a person's thirties or forties. An early-onset, less common form of Huntington disease begins in childhood or adolescence. This condition is inherited in an autosomal dominant manner, which means one copy of the altered gene in each cell is sufficient to cause the disorder.
- **Gaucher Disease** - Gaucher disease is an inherited disorder that affects many of the body's organs and tissues. The signs and symptoms of this condition vary widely among affected individuals. There are several types of Gaucher disease based on their particular features. Some types do not affect the brain and spinal cord while others do. Type 1 Gaucher disease, for example, is the most common form of this disorder. Major signs and symptoms of Type 1 Gaucher disease include enlargement of the liver and spleen, a low number of red blood cells, easy bruising caused by a decrease in blood platelets, lung disease, and bone abnormalities such as bone pain, fractures, and arthritis. Types 2 and 3 Gaucher disease, on the other hand, have problems that affect the central nervous system. Gaucher disease is inherited in an autosomal recessive pattern, which means both copies of the gene in each cell have mutations. The parents each carry one copy of the mutated gene, but they do not show signs or symptoms of the disease.
- **Wilson's Disease** - Wilson disease is an inherited disorder in which excessive amounts of copper accumulate in the body, particularly in the liver, brain, and eyes. Typically, signs and symptoms of Wilson disease first appear during the teenage years. Wilson's disease is inherited in an autosomal recessive pattern, which means both copies of the gene in each cell have mutations. The parents each carry one copy of the mutated gene, but they do not show signs or symptoms of the disease.
- **Tourette syndrome** - Tourette syndrome is a complex disorder characterized by repetitive, sudden, and involuntary movements or noises called tics. Tics usually appear in childhood, and their severity varies over time. In most cases, tics become milder and less frequent in late adolescence and adulthood. Individuals who have Tourette syndrome are also at risk for other associated problems including attention deficit hyperactivity disorder (ADHD), obsessive-compulsive disorder (OCD), anxiety, depression, and problems with sleep. A variety of genetic and environmental factors appear to play a role in causing Tourette syndrome. Most of these factors are unknown to date. Among family members of an affected person, it is therefore difficult to predict who else may be at risk of developing the condition.

Mental Health

- **Depression** – Clinical depression is an illness that can challenge a person's ability to perform even routine daily activities, and in some cases lead a person to contemplate or commit suicide. There are several different types of depression (mood disorders that include depressive symptoms) such as major depression, bipolar disorder and seasonal depression. The causes of depression are complex. Genetic, biological, and environmental factors can contribute to its development. In some people, depression can be traced to a single cause, while in others, a number of causes are involved. For many, the causes are never known. Certain types of depression seem to run in some families. Research is ongoing as to exactly which genes are involved in depression.

Muscle/Bone Joint

- **Muscular dystrophy** - Muscular dystrophies are a group of genetic conditions characterized by progressive muscle weakness and wasting. The Duchenne and Becker types of muscular dystrophy primarily affect the skeletal muscles, which are used for movement, and the muscles of the heart. These conditions occur much more frequently in males than in females. Both Duchenne and Becker muscular dystrophy are inherited in an X-linked recessive pattern, with the mutated gene that causes the disorder on the X chromosome. Males are affected by X-linked recessive disorders much more frequently than females.
- **Achondroplasia** - Achondroplasia is a disorder of bone growth, particularly in the long bones of the arms and legs. All people with achondroplasia have short stature. Health problems commonly associated with achondroplasia include breathing difficulties (called apnea), obesity, and recurrent ear infections. Achondroplasia is inherited in an autosomal dominant pattern, which means one copy of the altered gene in each cell is sufficient to cause the disorder. About 80 percent of individuals with achondroplasia have average-size parents; these cases result from a new gene mutation in that individual. In the remaining cases, people with achondroplasia have inherited a gene from one or two affected parents.

- **Osteogenesis imperfecta** - Osteogenesis imperfecta (OI) is a group of genetic disorders that mainly affect the bones. People who have OI have bones that break easily, often from mild trauma or with no apparent cause. Multiple fractures are common, and in severe cases, fractures can occur even before birth. Milder cases may involve only a few fractures over a person's lifetime. There are at least eight recognized forms of osteogenesis imperfecta, designated type I through type VIII, distinguished by their signs and symptoms. Most types of osteogenesis imperfecta have an autosomal dominant pattern of inheritance, which means one copy of the altered gene in each cell is sufficient to cause the disorder. Many people with type I or type IV osteogenesis imperfecta inherit a mutation from a parent who has the disorder.
- **Marfan syndrome** - Marfan syndrome is a connective tissue disorder. Connective tissue provides strength and flexibility to structures throughout the body such as bones, ligaments, muscles, the walls of blood vessels, and heart valves. Marfan syndrome affects most organs and tissues, especially the skeleton, lungs, eyes, heart, and the large blood vessel that distributes blood from the heart to the rest of the body called the aorta. Individuals who have Marfan syndrome often are tall and slender, have elongated fingers and toes, a long narrow face, highly arched palate, and have an arm span that exceeds their body height. About half of all people with Marfan syndrome have vision problems caused by a dislocated lens (ectopia lentis). Most people with Marfan syndrome have abnormalities of the heart and the aorta. This condition is inherited in an autosomal dominant pattern, which means one copy of the altered gene in each cell is needed to cause the disorder. At least one quarter of classic Marfan syndrome cases result from a new gene mutation. These individuals have no history of the disorder in their family.
- **Spinal muscular atrophy** - Spinal muscular atrophy is a disorder that affects the control of muscle movement. It is caused by a loss of specialized nerve cells, (motor neurons), in the spinal cord and the part of the brain that is connected to the spinal cord (the brainstem). The loss of motor neurons leads to weakness and shrinkage of muscles used for activities such as crawling, walking, sitting up, and controlling head movement. In severe cases of spinal muscular atrophy, the muscles used for breathing and swallowing are affected. There are a number of different subtypes of spinal muscular atrophy based on the age of onset and symptoms. Most types of spinal muscular atrophy are inherited in an autosomal recessive pattern, which means both copies of the gene in each cell have mutations. One type of spinal muscular atrophy is inherited in an autosomal dominant manner, which means one copy of the altered gene in each cell is sufficient to cause the disorder.
- **Reiter's disease** - Reiter's syndrome, also known as reactive arthritis, is a type of arthritis that occurs as a reaction to an infection somewhere in the body. Most infections that cause the disease begin in the bladder, urethra, penis, or vagina and are spread through sexual intercourse, a form of the disease called genitourinary Reiter's syndrome, or urogenital Reiter's syndrome. Other infections that can cause reactive arthritis include gastrointestinal infections due to eating contaminated food or handling contaminated substances, a form of the disease called gastrointestinal Reiter's syndrome, or enteric Reiter's syndrome. Reiter's syndrome affects mostly young men, between the ages of 20 and 40. Although researchers are not sure why some people develop reactive arthritis in response to certain infections, a genetic factor (presence of the HLA-B27 gene) appears to increase the risk.

Sight/Sound/Smell

- **Deafness** – There are several types of deafness including conductive hearing loss, neural hearing loss (nerve deafness), and mixed hearing loss (a combination of conductive and neural hearing loss). Some people are born deaf. Usually the cause is unknown. Although deafness is inherited in some families, deaf parents often have hearing children and hearing parents often have deaf children. Diseases and injuries of the ear can also cause deafness.
- **Blindness** – Blindness is a condition of lacking visual perception that is due to physiological or neurological factors. Blindness has a number of causes including disease and malnutrition. Blindness may have a genetic cause, and may also be a symptom of a particular genetic disorder. Recent advances in mapping of the human genome have identified genetic causes of low vision or blindness, for example the disorder called Bardet-Biedl syndrome.
- **Color blindness** – Color blindness is the inability to perceive differences between some of the colors that other people can distinguish. It is usually genetic in nature, but may also be due to eye, nerve or brain damage, or to exposure to certain chemicals. Color blindness can be inherited in families. Since the mapping of the human genome there have been many causative gene mutations discovered. Mutations capable of causing color blindness originate from at least 19 different chromosomes and many different genes.

- **Retinoblastoma** - Retinoblastoma is a rare type of eye cancer that develops in the retina, the part of the eye that detects light and color. Although this disorder can occur at any age, it usually develops in young children. Most cases of retinoblastoma occur in only one eye, but both eyes can be affected. Retinoblastoma can be inherited in an autosomal dominant pattern which means that one copy of the altered gene in each cell is sufficient to increase cancer risk. A person with retinoblastoma may inherit an altered copy of the gene from one parent, or the altered gene may be the result of a new mutation. For retinoblastoma to develop, a second mutation in the other copy of the RB1 gene must occur in retinal cells during the person's lifetime. When there is a family history of retinoblastoma or if the person develops tumors in both eyes, the gene mutation is probably in all of the person's cells, and that person is said to have an inherited form of retinoblastoma. A smaller number of individuals have retinoblastoma as a result of missing portions of chromosome 13 that are not inherited.

Skin

- **Albinism** – Albinism is a condition in which there is a lack of melanin pigment in the eyes, skin and hair (or more rarely the eyes alone). Albinism is hereditary and results from inheritance of recessive gene mutations. There are two main categories of Albinism - 1) **oculocutaneous albinism** in which there is a lack of melanin pigment in skin and hair, and 2) **ocular albinism**, in which only the eyes lack pigment. People with oculocutaneous albinism can have anywhere from no pigment at all to almost-normal levels. People who have ocular albinism have generally normal skin and hair color, and many even have a normal eye appearance. Albinism may also be a feature of a genetic syndrome such as Hermansky-Pudlak syndrome.
- **Neurofibromatosis** – There are two types of Neurofibromatosis – Type 1 and Type 2. Neurofibromatosis type 1 is a disorder characterized by changes in skin coloring and the growth of tumors along nerves in the skin, brain, and other parts of the body. The signs and symptoms of this condition vary widely among affected people. Neurofibromatosis type 2 is a disorder characterized by the growth of noncancerous tumors in the nervous system. The most common develop along the nerve that carries information from the inner ear to the brain (the auditory nerve). Tumors that occur on nerves in other areas of the brain or spinal cord are also commonly seen with this condition. Both Type 1 and Type 2 Neurofibromatosis are considered to have an autosomal dominant pattern of inheritance. People with Neurofibromatosis Type 1 and Type 2 are born with one mutated copy of either the NF1 or NF2 mutated genes in each cell. In about half of cases, the gene mutation is inherited from an affected parent. The remaining cases result from new mutations in the gene and occur in people with no history of the disorder in their family. Unlike most other autosomal dominant conditions, in which one altered copy of a gene in each cell is sufficient to cause the disorder, two copies of either the NF1 or NF2 gene must be altered to trigger tumor formation in neurofibromatosis. A mutation in the second copy of the NF1 or NF2 gene occurs during a person's lifetime in specialized cells surrounding nerves. Almost everyone who is born with one NF1 or NF2 mutation acquires a second mutation in many cells and develops the tumors characteristic of the disease.

Congenital Abnormalities/Birth Defects

- **Cleft lip/palate** – Cleft lip and palate are common birth defects that affect the upper lip and the roof of the mouth. There are many causes of cleft lip and palate. Gene alterations passed down from one or both parents, drugs used or maternal viruses during pregnancy can cause cleft lip and/or palate. Cleft lip and palate can also be part of a genetic syndrome or occur with other birth defects. Risk factors for cleft lip and palate also include a family history of cleft lip or palate and other birth defects.
- **Congenital hip problems** – Congenital hip problems, also called hip dysplasia, involve problems with formation of the hip joint in children. The location of the hip dysplasia can be either the ball of the hip joint (femoral head), the socket of the hip joint (the acetabulum), or both. Hip dysplasia, called congenital dysplasia of the hip (or CDH) in the past is now called developmental dysplasia of the hip (DDH). There are a number of factors that contribute to cause DDH. One known risk factor is having a family history of hip dysplasia. Other causes include when the baby is born in breech position or when there is a lack of intrauterine fluid (oligohydramnios) during pregnancy.

- **Club feet** – Clubfoot is a condition where the foot turns inward and downward. It is a congenital condition, meaning it is present at birth. Other terms for clubfoot are Talipes equinovarus and Talipes. Clubfoot is the most common congenital disorder involving the legs, and can range from mild and flexible to severe and rigid. Although the exact cause is not known, clubfoot may be passed down in some families. Family history, therefore, is a risk factor for clubfoot, as is being a male.
- **Heart Defect** - A congenital heart defect involves an abnormal structure of the heart that is present at birth. Congenital heart defects are the most common type of major birth defect. There are multiple causes of congenital heart defects including environmental and genetic factors. Genes that can cause congenital heart defects are now being discovered, such as a gene that can cause an atrial septal defect and one that may contribute to hypoplastic left heart syndrome. Congenital heart defects can also be a part of a wider pattern of birth defects and genetic syndromes such as Down syndrome, Turner syndrome and velocardiofacial syndrome.
- **Hearing problems** - There are several types of hearing loss including conductive hearing loss, neural hearing loss (nerve deafness), and mixed hearing loss (a combination of conductive and neural hearing loss). Some people are born with hearing loss. Usually the cause is unknown. Although hearing loss is inherited in some families, deaf parents often have hearing children and hearing parents often have deaf children. Diseases and injuries of the ear can also cause deafness.
- **Spina bifida** - Spina bifida is one of a group of birth defects called neural tube defects. Spina bifida occurs during fetal development when a portion of the neural tube fails to develop or close properly causing defects in the spinal cord and in the bones of the backbone. Spina bifida, like many other birth defects appears to be caused by a combination of genetic and environmental risk factors, such as a family history of neural tube defects, folic acid deficiency, and medical conditions such as diabetes and obesity.
- **Microcephaly** - Microcephaly is disorder in which the circumference of the head is smaller than normal because the brain has not developed properly or has stopped growing. Microcephaly can be present at birth or it may develop in the first few years of life. It is most often caused by genetic abnormalities that interfere with the growth of the cerebral cortex during the early months of fetal development. Microcephaly is associated with genetic syndromes such as Down syndrome, chromosomal syndromes, and neurometabolic syndromes, Babies may also be born with microcephaly if their mother abuses drugs or alcohol during pregnancy, or becomes infected with the German measles, chicken pox.
- **Holoprosencephaly** - Holoprosencephaly is a disorder caused by the failure of the embryonic forebrain (*prosencephalon*) to divide properly into the double lobes of the cerebral hemispheres. As a result, the baby has a single-lobed brain structure and severe skull and facial defects. In most cases of holoprosencephaly, the malformations are so severe that babies die before birth. In less severe cases, babies are born with normal or near-normal brain development and facial deformities that may affect the eyes, nose, and upper lip. Often, no specific cause for holoprosencephaly can be identified. There are some specific chromosomal abnormalities that have been identified as the cause of holoprosencephaly in some patients. In some families, holoprosencephaly is inherited in autosomal dominant or X-linked recessive inheritance. Several genes have also been identified that play a role in causing holoprosencephaly.

Chromosomal Abnormalities

- **Down syndrome** - Down syndrome is a chromosomal disorder that is associated with mental retardation, a characteristic facial appearance, and poor muscle tone in infancy. Individuals who have Down syndrome may also have heart defects, digestive problems such as gastroesophageal reflux or celiac disease, hearing loss, and cancer of blood-forming tissue (leukemia). Some people with Down syndrome have hypothyroidism. Down syndrome also appears to be associated with an increased risk of Alzheimer disease. Down syndrome is usually caused by the presence of an extra chromosome number 21, called trisomy 21, which means each cell in the body has three copies of chromosome 21 instead of the usual two copies. Most cases of Down syndrome are not inherited, but occur as random events during the formation of egg or sperm. One type of Down syndrome, called translocation Down syndrome, can be inherited.

- **Fragile X syndrome** - Fragile X syndrome is a genetic disorder that involves a range of developmental problems including learning disabilities and mental retardation, and behavioral problems such as hyperactive behavior and attention deficit disorder. Males are usually more severely affected by this disorder than females. Many males with fragile X syndrome have characteristic physical features that become more apparent with age such as a long and narrow face, large ears, prominent jaw and forehead, unusually flexible fingers, and enlarged testicles after puberty. Most cases of fragile X syndrome are caused by a mutation in which a DNA segment, known as the CGG triplet repeat, is expanded within the FMR1 gene. Fragile X syndrome is inherited in families in an X-linked dominant pattern.
- **Turner syndrome** - Turner syndrome is a chromosomal disorder that affects development in females. Women with Turner syndrome are often shorter than average and are usually unable to conceive children because they lack ovarian function. Other features of Turner syndrome can include extra skin on the neck, puffiness or swelling of the hands and feet, skeletal abnormalities, heart defects, and kidney problems. Developmental delays, learning disabilities, and behavioral problems may also be present, although these characteristics vary among affected females. In most cases, Turner syndrome is not inherited. Rather, it occurs as random events during the formation of egg or sperm.
- **Klinefelter syndrome** - Klinefelter syndrome is a chromosomal disorder that affects male sexual development. Most males who have Klinefelter syndrome have one extra copy of the X chromosome in each cell. The presence of an extra X chromosome interferes with male sexual development causing their testicles to develop abnormally, and leading to low levels of the hormone testosterone beginning during puberty. A lack of testosterone can lead to breast development, reduced facial and body hair, and an inability to father children. Boys who have Klinefelter syndrome may have learning disabilities and difficulty with speech and language development. Klinefelter syndrome is caused by the presence of one or more extra copies of the X chromosome in a male's cells. Klinefelter syndrome is not inherited, but usually occurs as a random event during the formation of egg or sperm.

Genetic History

- **Bloom syndrome** - Bloom syndrome is an inherited disorder that is characterized by a high frequency of breaks and rearrangements in an affected person's chromosomes. Individuals who have Bloom syndrome are usually much smaller than average, and often have a high-pitched voice and characteristic facial features including a long, narrow face; small lower jaw; and prominent nose and ears. They tend to develop pigmentation changes that often appear as a butterfly-shaped patch of reddened skin on the face. Other features of the Bloom syndrome may include learning disabilities, mental retardation, chronic lung problems, diabetes, and immune deficiency that leads to recurrent pneumonia and ear infections. Men with Bloom syndrome are usually not able to father children because they do not produce sperm. Women with the disorder generally experience menopause earlier than usual. Chromosome instability in Bloom syndrome also results in a high risk of cancer in affected individuals. Bloom syndrome is inherited in families in an autosomal recessive pattern, which means both copies of the gene in each cell have mutations.
- **Canavan disease** - Canavan disease is an inherited disorder that causes progressive damage to nerve cells in the brain. The signs and symptoms of Canavan disease usually begin in early infancy; however, the course of the disorder can be quite variable. Infants with Canavan disease usually appear normal for the first few months of life. By age 3 to 5 months, these infants begin to have developmental delays in motor skills, weak muscle tone, large head size, and mental retardation. They may also develop feeding and swallowing difficulties, seizures, and sleep disturbances. Canavan disease is inherited in an autosomal recessive pattern, which means both copies of the gene in each cell have mutations.
- **Fabry Disease** - Fabry disease is an inherited disorder that begins in childhood and results from the buildup of a particular type of fat in the body's cells. Characteristic features of Fabry disease include episodes of pain, particularly in the hands and feet; clusters of small, dark red spots on the skin; a decreased ability to sweat; cloudiness of the front part of the eye; and hearing loss. Individuals with Fabry disease are also at risk for potentially life-threatening complications such as progressive kidney damage, heart attack, and stroke. Fabry disease is inherited in an X-linked pattern; however, unlike other X-linked disorders, Fabry disease causes significant medical problems in many females who have one altered copy of the mutated gene. These women may experience many of the classic features of the disorder.
- **Familial Dysautonomia** - Familial dysautonomia is a genetic disorder that affects the development and survival of certain nerve cells. The disorder causes disturbances in autonomic nerve cells, which control involuntary actions such as digestion, breathing, production of tears, and the regulation of blood pressure and body temperature. It also affects activities related to the senses, such as taste and the perception of pain, heat, and cold. Familial dysautonomia is also called hereditary sensory and autonomic neuropathy, type III. Problems related to this disorder first appear during infancy and include poor muscle tone, feeding difficulties, poor growth, lack of tears, frequent lung infections, and

difficulty maintaining body temperature. Developmental delays in walking and speech, are usually present, although some affected individuals do not show signs of developmental delay. Familial dysautonomia is inherited in an autosomal recessive pattern, which means both copies of the gene in each cell have mutations.

- **Familial Mediterranean Fever** - Familial Mediterranean fever is an inherited disorder that involves recurrent episodes of painful inflammation in the abdomen, chest, or joints. These episodes are often accompanied by fever and sometimes a rash. The first episode usually occurs by the age of 20. For some affected individuals, however, the initial episode occurs much later in life. The episodes usually last 12 to 72 hours and may vary in severity and length of time between attacks. A buildup of protein deposits occurs in some cases of familial Mediterranean fever and this can lead to kidney failure if left untreated. This condition is inherited in an autosomal recessive pattern, which means both copies of the gene in each cell have the mutations. Rarely, familial Mediterranean fever may be inherited in an autosomal dominant pattern, which means one copy of an altered gene is sufficient to cause the disorder.
- **Fanconi Anemia** - Fanconi anemia is a rare, inherited blood disorder that causes bone marrow failure. Fanconi anemia causes the bone marrow to stop making enough new blood cells for the body to function normally. Infants born with Fanconi anemia are at higher risk for having birth defects. Fanconi anemia can also cause the bone marrow to make many abnormal blood cells, which can lead to serious health problems such as cancer. This condition is inherited in an autosomal recessive pattern, which means both copies of the gene in each cell have the mutations.
- **Niemann-Pick, Type A** - Niemann-Pick disease is an inherited disorder that involves lipid metabolism - the breakdown, transport, and use of fats and cholesterol in the body. In affected individuals the abnormal lipid metabolism causes harmful amounts of lipids to accumulate in the spleen, liver, lungs, bone marrow, and brain. There are four main types of Niemann-Pick disease. Type A presents during infancy and is characterized by an enlarged liver and spleen, failure to thrive, and progressive deterioration of the nervous system. Children born with Niemann-Pick, Type A generally do not survive past early childhood. Niemann-Pick, Type A is inherited in an autosomal recessive pattern, which means both copies of the gene in each cell have mutations.
- **Mucopolysaccharidosis Type IV** - Mucopolysaccharidosis Type IV is a genetic disorder, primarily which is characterized by severe neurological and ophthalmologic abnormalities. Also known as ML4, the disorder usually presents during the first year of life with mental retardation, corneal opacities, and delayed motor milestones. Children with ML4 begin to show signs of developmental delay during their first year of life. They usually attain a maximum developmental age of 15 months in language and motor function, although their receptive abilities are more advanced. They may also experience retinal degeneration that severely limits their vision. ML4 is inherited in an autosomal recessive pattern which means both copies of the gene in each cell have mutations.